



**CENTRE OF TESTING SERVICE
INTERNATIONAL**

OPERATE ACCORDING TO ISO/IEC 17025

COMPILE REPORT

Compile Report Number : CGZ3170526-01744-CO

**CTS (Ningbo) Testing Service Technology Co., Ltd.
Fl.1 & 8 West, Bldg. B, No. 66, Qingyi Rd., Hi-Tech Zone, Ningbo, Zhejiang, China
PHONE +86-574-87912121 FAX +86-574-87907993**

COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
DATE : Jun. 01, 2017
PAGE : 1 of 10

Table of contents

1	General Information	2
1.1	Application Details	2
1.2	Manufacturer & Buyer	2
1.3	Description of the Compile Item	2
2	Compile Results	3
2.1	General Information	3
	2.1.1 Sample Receiving Date	3
	2.1.2 Compile Period	3
	2.1.3 Compile Requested	3
2.2	Results	4
3	Sample Reference Photo	10

The measurement results only apply to the submitted samples.
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
DATE : Jun. 01, 2017
PAGE : 2 of 10

1 General Information**1.1 Application Details**

Name : SINOART Shanghai Co.,Ltd.
Address : Rm.1820, No.218 Ningguo Rd, Shanghai,200090, China
Contact : Mrs. Bonnie WU
Telephone : 02161813951
Fax : 02161813950
Mobile telephone : /
Email : info@chinasinoart.com

1.2 Manufacturer & Buyer

Manufacturer name : SINOART Shanghai Co.,Ltd.
Address : Rm.1820, No.218 Ningguo Rd, Shanghai,200090, China
Contact : Mrs. Bonnie WU
Telephone : 02161813951
Fax : 02161813950
Mobile telephone : /
Email : info@chinasinoart.com
Buyer name : /

1.3 Description of the Compile Item

Sample name : Twin tip blending art markers
Model No. : SFB0140, 59853152
Brand name : TARGET
Condition of sample(s) : EFFECTIVE

COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
DATE : Jun. 01, 2017
PAGE : 3 of 10

2 Compile Results

2.1 General Information

2.1.1 Sample Receiving Date

May 26, 2017

2.1.2 Compile Period

May 26, 2017 to Jun. 01, 2017

2.1.3 Compile Requested



MSDS report of products.

The measurement results only apply to the submitted samples.
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
DATE : Jun. 01, 2017
PAGE : 4 of 10

2.2 Results

MSDS (Material Safety Data Sheet)	
1 Identification of the substance / Preparation and of the company	
PRODUCT NAME	: Twin tip blending art markers
PRODUCT TYPE	: SFB0140, 59853152
Manufacturer/Supplier	: SINOART Shanghai Co.,Ltd.
ADDRESS	: Rm.1820, No.218 Ningguo Rd, Shanghai,200090, China
TEL	: +86-02161813951
FAX	: +86-02161813950
E-mail	: info@chinasinoart.com
2 HAZARDS IDENTIFICATION	
<p>According to Globally Harmonized System (GHS):</p> <p>1.Label elements</p> <p>1.1Hazard pictograms:</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p>GHS02</p>  </div> <div style="text-align: center;"> <p>GHS07</p>  </div> </div> <p>1.2 Signal word: Danger</p> <p>2.Hazard Class and Category:</p> <p>Flam. Liq.: Flammable liquids, hazard category2</p> <p>Eye Irrit.: Eye irritation, hazard category2</p> <p>STOT SE: Specific target organ toxicity — single exposure, hazard category 3</p> <p>3.Hazards statement:</p> <p>H225:Highly flammable liquid and vapour</p> <p>H319:Causes serious eye irritation</p> <p>H336:May cause drowsiness or dizziness</p> <p>4.Precautionary statements:</p> <p>P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p>	

The measurement results only apply to the submitted samples.
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
DATE : Jun. 01, 2017
PAGE : 5 of 10

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.

P264: Wash... thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P312: Call a POISON CENTER/ doctor/.../if you feel unwell.

P405: Store locked up.

P501 : Dispose of contents/container to... [... in accordance with local/regional/national/international regulation **(to be specified)**].

P370+P378: In case of fire: Use ... to extinguish.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P235: Store in a well ventilated place. Keep cool.

P403+P233: Store in a well ventilated place. Keep container tightly closed.

P337+P313: If eye irritation persists get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

3 Composition / Information on ingredients

Pure Admixture

Composition:

Color (No)	Chemical Name	In %by weight	CAS No.	EC No.	Molecular Formula	Classification in GHS	
Yellow (408)	Ethyl Alcohol	86.6	64-17-5	200-578-6	C ₂ H ₆ O	Flam. Liq. 2	H225
	Isopropanol	8	67-63-0	200-661-7	C ₃ H ₈ O	Flam. Liq. 2	H225
						Eye Irrit. 2	H319
						STOT SE 3	H336
Food Yellow 4:1	5.4	12225-21-7	235-428-9	C ₄₈ H ₃₃ AlN ₁₂ O ₂₇ S ₆	Not Classified		

The measurement results only apply to the submitted samples.
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CTS (Ningbo) Testing Service Technology Co., Ltd.

Fl.1 & 8 West, Bldg. B, No. 66, Qingyi Rd., Hi-Tech Zone, Ningbo, Zhejiang, China

Tel: +86-574-87912121 (16 lines)

Fax: +86-574-87907993

Complaint line: +86-574-87908003

E-mail: cts@cts-lab.com

See Reverse For Terms And Conditions of Service

COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
 DATE : Jun. 01, 2017
 PAGE : 6 of 10

LIGHT GREEN (421)	Ethyl Alcohol	85.3	64-17-5	200-578-6	C ₂ H ₆ O	Flam. Liq. 2	H315
	Isopropanol	8	67-63-0	200-661-7	C ₃ H ₈ O	Flam. Liq. 2	H225
						Eye Irrit. 2	H319
						STOT SE 3	H336
CI 19140(FD&C YELLOW5)	4.2	12225-21-7	235-428-9	C ₄₈ H ₃₃ AlN ₁₂ O ₂₇ S ₆	Not Classified		
CI 42090(FD&C BLUE1)	2.5	3844-45-9	223-339-8	C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃	Not Classified		
LIGHT BLUE (456)	Ethyl Alcohol	86.1	64-17-5	200-578-6	C ₂ H ₆ O	Flam. Liq. 2	H315
	Isopropanol	8	67-63-0	200-661-7	C ₃ H ₈ O	Flam. Liq. 2	H225
						Eye Irrit. 2	H319
						STOT SE 3	H336
CI 42090(FD&C BLUE1)	5.9	3844-45-9	223-339-8	C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃	Not Classified		
VIOLE T (489)	Ethyl Alcohol	86.4	64-17-5	200-578-6	C ₂ H ₆ O	Flam. Liq. 2	H315
	Isopropanol	8	67-63-0	200-661-7	C ₃ H ₈ O	Flam. Liq. 2	H225
						Eye Irrit. 2	H319
						STOT SE 3	H336
CI 16255(FOOD RED 7)	2.7	2611-82-7	220-036-2	C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃	Not Classified		
CI 42090(FD&C BLUE1)	2.9	3844-45-9	223-339-8	C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃	Not Classified		
RED (511)	Ethyl Alcohol	86.4	64-17-5	200-578-6	C ₂ H ₆ O	Flam. Liq. 2	H315
	Isopropanol	8	67-63-0	200-661-7	C ₃ H ₈ O	Flam. Liq. 2	H225
						Eye Irrit. 2	H319
						STOT SE 3	H336
CI 16255(FOOD RED 7)	5.6	2611-82-7	220-036-2	C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃	Not Classified		
BLACK (600)	Ethyl Alcohol	86.4	64-17-5	200-578-6	C ₂ H ₆ O	Flam. Liq. 2	H315
	Isopropanol	8	67-63-0	200-661-7	C ₃ H ₈ O	Flam. Liq. 2	H225
						Eye Irrit. 2	H319
						STOT SE 3	H336
FOOD BLACK1	9.4	2519-30-4	219-746-5	C ₂₈ H ₁₇ N ₅ Na ₄ O ₁₄ S ₄	Not Classified		

The measurement results only apply to the submitted samples.
 Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CTS (Ningbo) Testing Service Technology Co., Ltd.

Fl.1 & 8 West, Bldg. B, No. 66, Qingyi Rd., Hi-Tech Zone, Ningbo, Zhejiang, China

Tel: +86-574-87912121 (16 lines)

Fax: +86-574-87907993

Complaint line: +86-574-87908003

E-mail: cts@cts-lab.com

See Reverse For Terms And Conditions of Service

COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
DATE : Jun. 01, 2017
PAGE : 7 of 10

<p>Remark: CAS: Chemical Abstract Service Registry Number. EC: European Inventory of Existing Commercial chemical Substances.</p>
<p>4 First aid measures</p> <p>Skin contact: Remove any contaminated clothing and flush exposed skin with plenty of running water for at least 15minutes. If irritation, injury or pain persists, seek medical attention.</p> <p>Eye contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.</p> <p>Inhalation: Get medical aid immediately. Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.</p> <p>Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.</p>
<p>5 FIRE-FIGHTING MEASURES</p> <p>Danger characteristic: No information.</p> <p>Hazardous combustion products: No information.</p> <p>Fire-Fighting method: The staff must equip with filter mask (full mask) or isolated breathing apparatus. The staff must wear the clothes which can defense the fire and the toxic gas. Put out the fire in the upwind direction. Remove the container to the open space as soon as possible.</p> <p>Fire extinguishing agent: CO₂, foam, powder.</p>
<p>6 Accidental release measures</p> <p>Emergency treatment: Cut off the power and fire source, leave quickly to safety place of the leak contaminated area personnel, cut off the pollution sources as soon as possible, prevent into the sewer. Remove spilled materials with protective equipment (protective glasses and protective gloves).Do not inhale the gas as much as possible. Moreover, avoid touching with as much as possible. Recycling the leakage liquid to an airtight container carry to the waste disposal sites, cleaning field of residual liquid with inert material, such as sand and so on.</p> <p>Prevention of secondary hazards: Avoid re-scattering. Do not bring the collected materials close to fire</p>
<p>7 HANDLING AND STORAGE</p> <p>Handling attention: Supply with natural air exhaust. The operating staff must have received special training and abide by the operating regulations. It is required that the staff wear work clothes and gloves. Keep away from fire and heating sources. No smoking in the workplace. Avoid contacting with oxidizers, Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling. Take care when transport, prevent damaging the packing and container.</p> <p>Storage attention: Keep the sample in the cool, dry and well-ventilated place. Keep away from fire and heating sources. Keep separately from oxidizers, no mixing storage. Keep container seal, the storage place should be equipped with suitable shelter materials for divulgence handling.</p>

The measurement results only apply to the submitted samples.
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
DATE : Jun. 01, 2017
PAGE : 8 of 10

8 Exposure controls / personal protection
<p>Respiratory protection: The work place keep well ventilated, wear qualified mask or face mask at work time.</p> <p>Eyes protection: Goggles, equipped available and safety shower and wash eyes equipment.</p> <p>Body protection: Wear work clothes, pay attention to protect bare skin.</p> <p>Hands protection: Wear gloves</p> <p>Other Protections: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.</p>
9 PHYSICAL AND CHEMICAL PROPERTIES
<p>Appearance and characteristic: Liquid</p> <p>Color: Yellow, Light Green, Light Blue, Violet, Red, Black</p> <p>Odour: No information</p> <p>pH: No information</p> <p>Flash point: No information</p> <p>Viscosity: No information</p> <p>Explosion properties: No information</p> <p>Density: No information</p> <p>Solubility: No information</p> <p>Evaporation rate: No information</p>
10 STABILITY AND REACTIVITY
<p>Reactivity: No information.</p> <p>Stability: Stable under normal temperature and pressure.</p> <p>Adverse reaction possibility: No information.</p> <p>Distribution of Ban: No information.</p> <p>Conditions to Avoid: High temperature, heat source, Fire source</p> <p>Decomposition Products: No information.</p>
11 TOXICOLOGICAL INFORMATION
<p>Acute Toxicity: No information.</p> <p>Sub-acute and Chronic Toxicity: No information.</p> <p>Mutagenicity: No information.</p> <p>Reproductive toxicity: No information.</p>
12 ECOLOGICAL INFORMATION
<p>No information is available about this product's ecological data. This product is not allowed to discharge into the sewer or/and rivers.</p>
13 DISPOSAL CONSIDERATIONS

The measurement results only apply to the submitted samples.
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
DATE : Jun. 01, 2017
PAGE : 9 of 10

Do not put into drains or waterways.

Waste: Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not dispose of waste into the environment.

Soiled packaging: Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

14 TRANSPORT INFORMATION

Dangerous Goods Code: /

Packaging Method: /

Transport Fashion: Sea

Transport Attentions: They should be packed in strong packaging for support during transport. Examine whether the package of the containers are integrate and tighten closed before transport. No divulgence, no collapse, no precipitation or no damage during the course of transportation. Corresponding varieties and number of fire equipment and spill contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with alkali, acid, etc. for transport. The transport instrument must be cleaned and sterilized otherwise it is not allowed to assemble other articles. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

15 REGULATORY INFORMATION

Regulatory Information: OSHA hazard communication standard (29 CFR 1910.1200); Globally Harmonized System of Classification and Labeling of Chemicals (GHS), sixth revised edition.

16 OTHER INFORMATION

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Note : 1. Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the CTS Classification committee using available literature references.

Written by: *Amanda* Inspected by: *Annie* Approved by: *lyt*

End of Report

The measurement results only apply to the submitted samples.
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval.



COMPILE REPORT OF MSDS

REPORT No. : CGZ3170526-01744-CO
DATE : Jun. 01, 2017
PAGE : 10 of 10

3 Sample Reference Photo



The measurement results only apply to the submitted samples.
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.